PTO/SB/05 (1/98)

Approved for use through 9/30/00, OMB 0651-003/
Please type a plus sign (+) inside this box 

Approved for use through 9/30/00, OMB 0651-003/
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

# UTILITY PATENT APPLICATION **TRANSMITTAL**

Attorney Docket No,	96-02	96-96544			
First Inventor or Application	dentifier	James A. Thomson			
Title SERUM FREE CULTIVATION OF PRIMATE EMBRYONIC STEM CELL					
Express Mail Label No,	EJ636	8878508US			

(Only for new nonprovisional applications under 37 CFR 1.53(b))

APPLICATION ELEMENTS	Assistant Commissioner for Patents Box Patent Application					
1 X Fee transmittal Form (Submit an original and a duplicate for fee processing) 2 X Specification [Total Pages 17] - Descriptive title of the invention - Cross References to Related Applications - Statement Regarding Fed Sponsored R&D - Reference to Microfiche Appendix - Background of the Invention	Microfiche Computer Program (Appendix)      Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)      Computer readable Copy     Paper Copy (identical to computer copy)     Statement Verifying identity of above					
<ul> <li>Brief Summary of the Invention</li> <li>Brief Description of the Drawings (if filed)</li> </ul>	ACCOMPANYING APPLICATION PARTS					
- Detailed Description - Claim(s) - Abstract of the Disclosure  3	Assignment Papers (cover sheet & documents)  37 CFR 3.73(b) Statement  Power of Attorney (where there is an assignee)  English Translation Document (if applicable)  Information Disclosure  Copies of IDS Statement (IDS)/PTO-1449  Citations  Preliminary Amendment  Return receipt postcard (MPEP 503) (Should be specifically itemized)  *Small Entity  Statement filed in prior application Statement(s)  Status still proper and desired  Certified copy of priority Document(s)  Certified copy of priority Document(s)  Other:  A newstatement is required to pay small entity fees, except where					
Continuation Divisional Continuation-in-p	art (CIP) of prior application no Group/Art Unit:					
	NDENCE ADDRESS					
Customer Number or Bar Code Label	or XX Correspondence address below or Attach bar code label					
NAME Carl R Schwartz						
ADDRESS Quarles & Brady 411 Fast Wisconsin-Avenue						
CITY Milwaukee STAT COUNTRY USA TELEPHONE						
Name (Print/Type) Carl & Schwartz Signature	Registration No. (Attorney/Agent)  Date March 9, 2000					

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231 MKE\4503474

			Attorney's Docl	ket No.
Applicant	or Pate	tee: James A. Thomso	on et al	
				ATE EMBRYONIC STEM CELLS
		ERIFIED STATEME	ENT (DECLARATION)	CLAIMING SMALL ENTITY DEPENDENT INVENTOR
for purpos Trademar	ses of p k Offic	ying reduced fees unde	er Section 41(a) and (b) on the section entitled METH	independent inventor as defined in 37 CFR 1.9(c) of Title 35, United States Code, to the Patent and HOD FOR SERUM-FREE CULTIVATION OF
described	 in			
_		cation filed herewith.		
☐ a	pplication	n serial no.	, filed	·
			ed	
grant, con inventor u	ivey or inder 37	icense, any rights in th CFR 1.9(c) if that person	ne invention to any person had made the invention	er no obligation under contract or law to assign, on who could not be classified as an independent n, or to any concern which would not qualify as a attion under 37 CFR 1.9(e).
Each pers obligation	on, con under c	ern or organization to ntract or law to assign,	which I have assigned, grant, convey, or license	granted, conveyed, or licensed or am under an any rights in the invention is listed below:
□ n	o such p	erson, concern, or organ	nization	
⊠ p	ersons,	oncerns or organization	s listed below*	
1.	NOTE:	eparate verified statements a verring to their status as smal	re required from each named p Il entities. (37 CFR 1.27)	person, concern or organization having rights to the invention
NAME: _	· · · · · · · · · · · · · · · · · · ·	Visconsin Alumni Resea	arch Foundation	·.
ADDRESS	S:	O. Box 7365, Madisor	ı, WI 53707-7365	
	IVIDUAI		ALL BUSINESS CONCERN	
NAME: _				
ADDRESS	S:			
	VIDUAL	☐ SMA	ALL BUSINESS CONCERN	□ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

James A. Thomson		
Name of inventor		
,		
James A Barray	Data	3/1/00
James / Mamsen	Date	217100
Signature of inventor		

	· Issued:
For: M	ETHOD FOR SERUM-FREE CULTIVATION OF PRIMATE EMBRYONIC STEM CELLS
	VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(d)) - NONPROFIT ORGANIZATION
I hereby	y declare that I am an official empowered to act on behalf of the nonprofit organization identified below:
NAME	OF ORGANIZATION: Wisconsin Alumni Research Foundation
ADDRI	ESS OF ORGANIZATION: P.O. Box 7365, Madison, WI 53707-7365
TYPE (	OF ORGANIZATION
	UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION
$\boxtimes$	TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3))
	NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNIT STATES OF AMERICA
	(NAME OF STATE)
	(CITATION OF STATUTE)
	WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 U 501(a) and 501(c)(3)) IF LOCATED IN THE UNITED STATES OF AMERICA
	WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE STATE OF THE UNITED STATES OF AMERICA IF LOCATED IN THE UNITED STATES AMERICA
	(NAME OF STATE)
	(CITATION OF STATUTE)
CFR 1. regard t	y declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 3 9(e) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code with to the invention entitled METHOD FOR SERUM-FREE CULTIVATION OF PRIMATE EMBRYONIC CELLS
•	
by inve	ntor(s) James A. Thomson et al.
describe	ed in
$\boxtimes$	the specification filed herewith.
كب	

\*NOTE:

I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below\* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Separate verified statements are required from each named person, concern or organization having rights to the invention

averring to their	status as small entities. (37 CFR 1.27).	
NAME:		
ADDRESS:		
☐ INDIVIDUAL	SMALL BUSINESS CONCERN	☐ NONPROFIT ORGANIZATION
NAME:		
ADDRESS:		
☐ INDIVIDUAL	SMALL BUSINESS CONCERN	☐ NONPROFIT ORGANIZATION
entitlement to small entity sta		ion of any change in status resulting in loss of paying, the earliest of the issue fee or any o longer appropriate. (37 CFR 1.28(b))
information and belief are beli willful false statements and the Title 18 of the United States	eved to be true; and further that these so like so made are punishable by fine or	edge are true and that all statements made or statements were made with the knowledge that imprisonment, or both, under Section 1001 or tatements may jeopardize the validity of the field statement is directed.
NAME OF PERSON SIGNING	G Bryan Z. Renk	
TITLE IN ORGANIZATION	Director of Patents and L	icensing
ADDRESS OF PERSON SIGN	NING Wisconsin Alumni Resear	rch Foundation
	P.O. Box 7365, Madison,	, WI 53707-7365
SIGNATURE 7	7. // Dat	te 3/3/00

SERUM FREE CULTIVATION OF PRIMATE EMBRYONIC STEM CELLS

CROSS REFERENCES TO RELATED APPLICATIONS

Not applicable.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH

5

## BACKGROUND OF THE INVENTION

The present invention relates to methods for culturing primate embryonic stem cell cultures and culture media useful therewith.

10

15

Primate (e.g. monkey and human) pluripotent embryonic stem cells have been derived from preimplantation embryos. See U.S. patent 5,843,780 and J. Thomson et al., 282 Science 1145-1147 (1998). The disclosure of these publications and of all other publications referred to herein are incorporated by reference as if fully set forth herein. Notwithstanding prolonged culture, these cells stably maintain a developmental potential to form advanced derivatives of all three embryonic germ layers.

20

25

Primate (particularly human) ES cell lines have widespread utility in connection with human developmental biology, drug discovery, drug testing, and transplantation medicine. For example, current knowledge of the post-implantation human embryo is largely based on a limited number of static histological sections.

Because of ethical considerations the underlying mechanisms that control the developmental decisions of the early human embryo remain essentially unexplored.

30

Although the mouse is the mainstay of experimental mammalian developmental biology, and although many of the fundamental mechanisms that control development are conserved between mice and humans, there are significant differences between early mouse and human development. Primate/human ES cells should therefore provide important new insights into their differentiation and function.

Differentiated derivatives of primate ES cells could be used to identify gene targets for new drugs, used to test toxicity or teratogenicy of new compounds, and used for transplantation to replace cell populations in disease. Potential conditions that might be treated by the transplantation of ES cell-derived cells include Parkinson's disease, cardiac infarcts, juvenile-onset diabetes mellitus, and leukemia. See e.g. J. Rossant et al. 17 Nature Biotechnology 23-4 (1999) and J. Gearhart, 282 Science 1061-2 (1998).

Long term proliferative capacity, developmental potential after prolonged culture, and karyotypic stability are key features with respect to the utility of primate embryonic stem cell cultures. Cultures of such cells (especially on fibroblast feeder layers) have typically been supplemented with animal serum (especially fetal bovine serum) to permit the desired proliferation during such culturing.

For example, in U.S. patents 5,453,357, 5,670,372 and 5,690,296 various culture conditions were described, including some using a type of basic fibroblast growth factor together with animal serum. Unfortunately, serum tends to have variable properties from batch to batch, thus affecting culture characteristics.

In WO 98/30679 there was a discussion of providing a serum-free supplement in replacement for animal serum to support the growth of certain embryonic stem cells in culture. The serum replacement included albumins or albumin substitutes, one or more amino acids, one or more vitamins, one or more transferrins or transferrin substitutes, one or more antioxidants, one or more insulins or insulin substitutes, one or more collagen precursors, and one or more trace elements. It was noted that this replacement could be further supplemented with leukemia inhibitory factor, steel factor, or ciliary

neurotrophic factor. Unfortunately, in the context of primate embryonic stem cell cultures (especially those grown on fibroblast feeder layers), these culture media did not prove satisfactory.

5

In the context of nutrient serum culture media (e.g. fetal bovine serum), WO 99/20741 discusses the benefit of use of various growth factors such as bFGF in culturing primate stem cells. However, culture media without nutrient serum is not described.

10

In U.S. patent 5,405,772 growth medium for hematopoietic cells and bone marrow stromal cells are described. There is a suggestion to use fibroblast growth factor in a serum-deprived media for this purpose. However, conditions for growth primate of embryonic stem cells are not described.

15

It can therefore be seen that a need still exists for techniques to stably culture primate embryonic stem cells without the requirement for use of animal serum.

# BRIEF SUMMARY OF THE INVENTION

20

In one aspect the invention provides a method of culturing primate embryonic stem cells. One cultures the stem cells in a culture essentially free of mammalian fetal serum (preferably also essentially free of any animal serum) and in the presence of fibroblast growth factor that is supplied from a source other than just a fibroblast feeder layer. In a preferred form the culture also has a fibroblast feeder layer.

30

25

Fibroblast growth factors are essential molecules for mammalian development. There are currently nine known fibroblast growth factor ligands and four signaling fibroblast growth factor receptors therefor (and their spliced variants). See generally D. Ornitz et al., 25 J. Biol. Chem. 15292-7 (1996); U.S. patent 5,453,357. Slight variations in these factors are expected to exist between species, and thus the term fibroblast growth

10

15

20

25

30

factor is not species limited. However, I prefer to use human fibroblast growth factors, more preferably human basic fibroblast growth factor produced from a recombinant gene. This compound is readily available in quantity from Gibco BRL-Life Technologies and others.

It should be noted that for purposes of this patent the culture may still be essentially free of the specified serum even though a discrete component (e.g. bovine serum albumin) has been isolated from serum and then is exogenously supplied. The point is that when serum itself is added the variability concerns arise. However, when one or more well defined purified component(s) of such serum is added, they do not.

Preferably the primate embryonic stem cells that are cultured using this method are human embryonic stem cells that are true ES cell lines in that they: (i) are capable of indefinite proliferation in vitro in an undifferentiated state; (ii) are capable of differentiation to derivatives of all three embryonic germ layers (endoderm, mesoderm, and ectoderm) even after prolonged culture; and (iii) maintain a normal karyotype throughout prolonged culture. They are therefore referred to as being pluripotent.

The culturing permits the embryonic stem cells to stably proliferate in culture for over one month (preferably over six months; even more preferably over twelve months) while maintaining the potential of the stem cells to differentiate into derivatives of endoderm, mesoderm, and ectoderm tissues, and while maintaining the karyotype of the stem cells.

In another aspect the invention provides another method of culturing primate embryonic stem cells. One cultures the stem cells in a culture essentially free of mammalian fetal serum (preferably also essentially free of any animal serum) and in the presence of a growth

factor capable of activating a fibroblast growth factor signaling receptor, wherein the growth factor is supplied from a source other than just a fibroblast feeder layer. While the growth factor is preferably a fibroblast growth factor, it might also be other materials such as certain synthetic small peptides (e.g. produced by recombinant DNA variants or mutants) designed to activate fibroblast growth factor receptors. See generally T. Yamaguchi et al., 152 Dev. Biol. 75-88 (1992)(signaling receptors).

In yet another aspect the invention provides a culture system for culturing primate embryonic stem cells. It has a fibroblast feeder layer and human basic fibroblast growth factor supplied by other than just the fibroblast feeder layer. The culture system is essentially free of animal serum.

Yet another aspect of the invention provides cell lines (preferably cloned cell lines) derived using the above method. "Derived" is used in its broadest sense to cover directly or indirectly derived lines.

Variability in results due to differences in batches of animal serum is thereby avoided. Further, it has been discovered that avoiding use of animal serum while using fibroblast growth factor can increase the efficiency of cloning.

It is therefore an advantage of the present invention to provide culture conditions for primate embryonic stem cell lines where the conditions are less variable and permit more efficient cloning. Other advantages of the present invention will become apparent after study of the specification and claims.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following experiments I used the methods and

In the following experiments I used the methods and culture systems of the invention to culture human ES cell lines. Two clonally derived human ES cell lines proliferated for over eight months after clonal

10

5

15

20

25

derivation and maintained the ability to differentiate to advanced derivatives of all three embryonic germ layers.

Techniques for the initial derivation, culture, and characterization of the human ES cell line H9 were described in J. Thomson et al., 282 Science 1145-1147 In my experiments herein human ES cells were then plated on irradiated (35 gray gamma irradiation) mouse embryonic fibroblast. Culture medium for the present work consisted of 80% "KnockOut" Dulbeco's modified Eagle's medium (DMEM) (Gibco BRL, Rockville, MD), 1 mM L-Glutamine, 0.1 mM  $\beta$ -mercaptoethanol, and 1% nonessential amino acids stock (Gibco BRL, Rockville, MD), supplemented with either 20% fetal bovine serum (HyClone, Logan, UT) or 20% KnockOut SR, a serum-free replacement originally optimized for mouse ES cells (Gibco BRL, Rockville, MD). The components of KnockOut SR are those described for serum replacements in WO 98/30679.

In alternative experiments medium was supplemented with either serum or the aforesaid serum replacer KnockOut SR, and either with or without human recombinant basic fibroblast growth factor (bFGF, 4 ng/ml). The preferred concentration range of bFGF in the culture is between .1 ng/ml to 500 ng/ml.

To determine cloning efficiency under varying culture conditions, H-9 cultures were dissociated to single cells for 7 minutes with 0.05% trypsin/0.25% EDTA, washed by centrifugation, and plated on mitotically inactivated mouse embryonic fibroblasts (10<sup>5</sup> ES cells per well of a 6-well plate). To confirm growth from single cells for the derivation of clonal ES cell lines, individual cells were selected by direct observation under a stereomicroscope and transferred by micropipette to individual wells of a 96 well plate containing mouse

25

5

10

15

20

embryonic fibroblasts feeders with medium containing 20% serum replacer and 4 ng/ml bFGF.

Clones were expanded by routine passage every 5-7 days with 1 mg/ml collagenase type IV (Gibco BRL, Rockville, MD). Six months after derivation, H9 cells exhibited a normal XX karyotype by standard G-banding techniques (20 chromosomal spreads analyzed). However, seven months after derivation, in a single karyotype preparation, 16/20 chromosomal spreads exhibited a normal XX karyotype, but 4/20 spreads demonstrated random abnormalities, including one with a translocation to chromosome 13 short arm, one with an inverted chromosome 20, one with a translocation to the number 4 short arm, and one with multiple fragmentation. Subsequently, at 8, 10, and 12.75 months after derivation, H9 cells exhibited normal karyotypes in all 20 chromosomal spreads examined.

We observed that the cloning efficiency of human ES cells in previously described culture conditions that included animal serum was poor (regardless of the presence or absence of bFGF). We also observed that in the absence of animal serum the cloning efficiency increased, and increased even more with bFGF.

The data expressed below is the total number of colonies resulting from  $10^5$  individualized ES cells plated, +/- standard error of the mean (percent colony cloning efficiency). With 20% fetal serum and no bFGF there was a result of 240 +/- 28. With 20% serum and bFGF the result was about the same, 260 +/- 12. In the absence of the serum (presence of 20% serum replacer) the result with no bFGF was 633 +/- 43 and the result with bFGF was 826 +/- 61. Thus, serum adversely affected cloning efficiency, and the presence of the bFGF in the absence of serum had an added synergistic benefit insofar as cloning efficiency.

The long term culture of human ES cells in the presence of serum does not require the addition of exogenously supplied bFGF, and (as noted above) the addition of bFGF to serum-containing medium does not significantly increase human ES cell cloning efficiency. However, in serum-free medium, bFGF increased the initial cloning efficiency of human ES cells.

Further, I have discovered that supplying exogenous bFGF is very important for continued undifferentiated proliferation of primate embryonic stem cells in the absence of animal serum. In serum-free medium lacking exogenous bFGF, human ES cells uniformly differentiated by two weeks of culture. Addition of other factors such as LIF (in the absence of bFGF) did not prevent the differentiation.

The results perceived are particularly applicable to clonal lines. In this regard, clones for expansion were selected by placing cells individually into wells of a 96 well plate under direct microscopic observation. Of 192 H-9 cells plated into wells of 96 well plates, two clones were successfully expanded (H-9.1 and H-9.2). Both of these clones were subsequently cultured continuously in media supplemented with serum replacer and bFGF.

H9.1 and H9.2 cells both maintained a normal XX karyotype even after more than 8 months of continuous culture after cloning. The H-9.1 and H-9.2 clones maintained the potential to form derivatives of all three embryonic germ layers even after long term culture in serum-free medium. After 6 months of culture, H9.1 and H9.2 clones were confirmed to have normal karyotypes and were then injected into SCID-beige mice.

Both H9.1 and H9.2 cells formed teratomas that contained derivatives of all three embryonic germ layers including gut epithelium (endoderm) embryonic kidney, striated muscle, smooth muscle, bone, cartilage

(mesoderm), and neural tissue (ectoderm). The range of differentiation observed within the teratomas of the high passage H9.1 and H9.2 cells was comparable to that observed in teratomas formed by low passage parental H9 cells.

It should be appreciated from the description above that while animal serum is supportive of growth it is a complex mixture that can contain compounds both beneficial and detrimental to human ES cell culture. Moreover, different serum batches vary widely in their ability to support vigorous undifferentiated proliferation of human ES cells. Replacing serum with a clearly defined component reduces the variability of results associated with this serum batch variation, and should allow more carefully defined differentiation studies.

Further, the lower cloning efficiency in medium containing serum suggests the presence of compounds in conventionally used serum that are detrimental to stem cell survival, particularly when the cells are dispersed to single cells. Avoiding the use of these compounds is therefore highly desired.

The present invention has been described above with respect to its preferred embodiments. Other forms of this concept are also intended to be within the scope of the claims. For example, while recombinantly produced human basic fibroblast growth factor was used in the above experiments, naturally isolated fibroblast growth factor should also be suitable. Further, these techniques should also prove suitable for use on monkey and other primate cell cultures.

Thus, the claims should be looked to in order to judge the full scope of the invention.

20

5

10

15

25

# Industrial Applicability

The present invention provides methods for culturing primate embryonic stem cells, and culture media for use therewith.

### CLAIMS

I claim:

1. A method of culturing primate embryonic stem cells, comprising:

culturing the stem cells in a culture essentially free of mammalian fetal serum and in the presence of fibroblast growth factor that is supplied from a source other than just a fibroblast feeder layer.

- 2. The method of claim 1, wherein the culture is essentially free of any animal serum.
- 3. The method of claim 2, wherein the culture also comprises a fibroblast feeder layer.
- The method of claim 2, wherein the fibroblast growth factor is basic fibroblast growth factor.
- 5. The method of claim 4, wherein the fibroblast growth factor is human basic fibroblast growth factor which has been produced from a recombinant gene.
- 6. The method of claim 2, wherein the primate embryonic stem cells are human embryonic stem cells.
- 7. The method of claim 2, wherein said culturing step includes the embryonic stem cells proliferating in culture for over one month while maintaining the potential of the stem cells to differentiate into derivatives of endoderm, mesoderm, and ectoderm tissues, and while maintaining the karyotype of the stem cells.

8. The method of claim 2, wherein the human basic fibroblast growth factor is present in the culture in a concentration of at least .1 ng/ml for at least a portion of the method.

9. A method of culturing primate embryonic stem cells, comprising:

culturing the stem cells in a culture essentially free of mammalian fetal serum and in the presence of a growth factor capable of activating a fibroblast growth factor signaling receptor, wherein the growth factor is supplied from a source other than just a fibroblast feeder layer.

- 10. The method of claim 9, wherein the culture is essentially free of any animal serum.
- 11. The method of claim 10, wherein the culture also comprises a fibroblast feeder layer.
- 12. The method of claim 10, wherein the primate embryonic stem cells are human embryonic stem cells.
- 13. The method of claim 10, wherein said culturing step includes the embryonic stem cells proliferating in culture for over one month while maintaining the potential of the stem cells to differentiate into derivatives of endoderm, mesoderm, and ectoderm tissues, and while maintaining the karyotype of the stem cells.

14. A culture system for culturing primate embryonic stem cells, comprising:

a fibroblast feeder layer; and

fibroblast growth factor supplied by other than just the fibroblast layer;

wherein the culture system is essentially free of animal serum.

1.

15. A cell line derived using the method of claim

9.

16. A cell line derived using the method of claim

## ABSTRACT

Disclosed herein are methods for culturing primate embryonic stem cells. These cells are cultured on a prolonged and stable basis in the presence of exogenously supplied fibroblast growth factor and in the absence of animal serum. Preferably there is also a fibroblast feeder layer. Also disclosed is a culture media containing fibroblast feeder layer and the fibroblast growth factor.

Please type a plus sign (+) inside	this box 🖽	Approved for use through 9/30/98. OMB 0651-003 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERC				
0010/PTO U.S. Departmen Rev. 6/99 Patent and Trac	nt of Commerce demark Office	Attorney Docket Numl	960296.96544			
		First Named Inventor	James A. Thomson			
DECLARATION	V FOR		COMPLETE IF KNOWN			
UTILITY OR D	ESIGN	Application Number				
PATENT APPLIC	CATION	Filing Date				
Declaration OR	Declaration	Group Art Unit				
Submitted with Initial Filing	Submitted after Initial Filing	Examiner Name				
My residence, post office address and citizenship are as stated below next to my name.  I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:    SERUM FREE CULTIVATION OF PRIMATE EMBRYONIC STEM CELLS     (Title of the Invention)						
inventor's certificate or §365(a) of a	any PCT international a identified below, by c	application which designated thecking the box, any foreign	or \$365(b) of any foreign application(s) for patent or at least one country other than the United States of application for patent or inventor's certificate, or an h priority is claimed.			
Prior Foreign Application Number(s)	Country	Foreign Filing D (MM/DD/YYY				
Additional foreign applications n	umbers are listed on a	supplemental priority sheet	attached hereto:			
I hereby claim the benefit under T	itle 35, United States	Code §119(e) of any United	States provisional application(s) listed below.			
Application Number(s) Filing Date (MM/DD/YYYY) Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.						

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231. MKE\4503449

ind.	The street street March Street St.	45000
-	ST.	Married .
1111111	Hite	there's
1505000	il med	1,111
il and in	=	11,623.12
130.05		19000
*1,116.75	3	March
111111	200	5511.35
131	:	
1	===	11,1,1
350000		46.000
1631	77.	7
ë		ź
75.	Section 1	1
division of the contract of		H M 16 M
the other dans and		Apr. 14 24 St 14 St 18.

$\overline{}$	-		-	_	$\sim$	
		. /	RA		,	RΙ
u	╌	$\perp$	nH		L J	ıv

Page 2

I hereby claim benefit under Title 35, United States Code §120 of any United States application(s), or §365(C) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application or PCT international application in the manner provided in the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.											
	U.S. Parent Application PCT Parent Number Number				rent Filing MM/DD/YY		Pa		tent Num <i>plicable)</i>	ber	
	inventor, I hereby a										
divisional ap	plications based the	ereon, and to tran	sact all bus	siness in th	ne Pater	it and Trade	mark O	ffice connecte	d therev	ntinuation vith:	and
Firm	Name						C	Customer or lumber	labei		
	attorney(s) and/or	agent(s) name	and regi:	stration n	umber	below					
	Name			tration mber			Nan	ne			istration umber
Carl R. S	Schwartz		29,4	37		n C. Bake id G. Rys					5,433 6,407
Ad	ditional attorney	(s) and/or agen	ts named	on a sup	plemer	ntal priority	sheet	attached he	ereto	- <del></del>	
Please direct	all corresponden	ce to C	ustomer lumber	or label				OR X	Fill in co addres:	orrespond s below	lence
Name	Carl R. Schwa	artz									
	Quarles & Bra										
	411 East Wis	consin Ave.	Suite :	2550						,	
<del></del>	Milwaukee		T	<del></del>		tate WI		T_ T	Zip	1	2-4497
<del>'</del>	USA		Telepho			77-5715	-			271-35	
willful false 18 of the U	eclare that all state and belief are be estatements and United States Cod ling thereon.	elieved to be tre the like so mad	ue; and fu de are pui	urther tha nishable h	at these by fine	statemen or imprisor	its wer	re made with	n the kr	nowledge	that
Name of Sc	ole or First Invent	ior:				A petition	n has l	been filed fo	r this u	nsigned i	nventor
Given	James		Middle	A F	amily	Thom	ison			Suffix	
Inventor's Signature	James	A	0	Themso	n_				Date	03/ <u>7</u> /0	00
Residence:	Madison			Stat	te W	i Country	, U	ı.s.	Citi	zenship	U.S.
Post Office	2451 Fie	edler Lane #3	3								
Post Office											
City M	adison	State	WI Zi <sub>l</sub>	p 5371	3	Country	U.S	ò.		Applic Autho	ant rity
Ac	dditional inventors	s are being nam	ned on su	pplement	al shee	t(s) attach	ned he	reto			•